



HYPE EXPORTS PVT LTD



**Manufacturers of Scaffold Fittings,
Scaffold Accessories & System Scaffoldings**

Introduction

Hype Exports Pvt Ltd is a leading manufacturers and exporters of High Tensile scaffolding fittings in India. we are prominent company and manufacture these products as per the set industry standards. Managed under the headship of "RAM KUMAR SINGLA" (Director), we have achieved a significant position in this sector. Our products are highly appreciated for its robust construction, excellent loading capacity, high strength, and economical prices.

Mission

Hype Exports Pvt Ltd plan to satisfy the requests and needs of the clients with inadequate security and persistent, proficient execution and dependability. We will constantly endeavor to productively answer the requests of the homegrown and worldwide business sectors.



Vision

Our vision is to manufacture quality, durable, and cost-effective scaffolding fittings best to the needs of the users and provide them satisfaction. Products and services we render should help us strengthen the structures and relations with our respected customers.

Why Us?

Our organization is one of the trusted names of the industry engaged in offering an excellent range of Scaffolding Systems & Fittings to the customers. We make sure to offer the products that can cater to the needs of different industries and sectors in an efficient manner. Following are the factors that have made us one of the foremost choices of our clients:

*Latest manufacturing facility
Quality-centric approach
Honest business dealing
Quality products*

Our Team

We have a team of expert and diligent professionals, which helps us in offering a wide range of supreme quality range of Scaffolding Systems & Fittings in the market. Our workforce comprises the professionals that are selected on the basis of their excellent educational qualification, expertise, experience and others. These professionals make sure to offer the products that can meet the exact requirements of the clients. They make sure to bring perfection in all the business activities carried on by them. Moreover, we conduct regular training & seminar sessions for updating the knowledge of our professionals.

Our team comprises the following members:

*Raw material procurers
Engineers
Technocrats
Quality controllers
Packaging experts*

Drop Forged Couplers



HYPE EXPORTS PVT LTD

Drop Forged Beam Clamp – Fixed

Item Code
369

Features

Used for connection of 2 tubes at any angle
Flange Nut – 1/2 BSW Thread x 23 mm
AF available
Tee Bolts – 1/2 BSW Thread, available
in Mild Steel or Boron Steel
For 51.0 OD Tube size
Finish – Zinc Plated



Category: DROP FORGED COUPLERS

Drop Forged Beam Clamp – Swivel

Item Code
370

Features

Nut Size – 1/2 BSW Thread x 21mm AF
Available Flange Nut sizes – 22 / 23mm AF
Tee Bolt – 1/2 BSW Thread, Available in Mild
Steel or Boron Steel
Hex Bolt – 5/8 x 76mm (Mild Steel) Head 21mm AF
For 48.3 OD Tube size
Finish – Zinc Plated



Category: DROP FORGED COUPLERS

Drop Forged Board Retaining Coupler

Item Code
371

Features

Used for quickly & securely locking the boards
in correct positions
Nut Size – 1/2 BSW x 21mm AF
Half Tee Bolts – 1/2 BSW Thread, available
in Mild Steel or Boron Steel
For 48.3 OD Tube size
Finish – Zinc Plated



Category: DROP FORGED COUPLERS

Drop Forged Beam Clamp – Swivel

Item Code
372

Features

Used for connection of 2 tubes at any angle
Flange Nut – 1/2 BSW Thread x 23 mm
AF available
Tee Bolts – 1/2 BSW Thread, available
in Mild Steel or Boron Steel
For 51.0 OD Tube size
Finish – Zinc Plated



Category: DROP FORGED COUPLERS

Drop Forged Dual Coupler (Australian) – Right Angle

Item Code
373

Features

Used for connection of 2 tubes at right angles
Flange Nut – 1/2 BSW Thread x 23 mm AF available
Tee Bolts – 1/2 BSW Thread, available in Mild
Steel or Boron Steel
For 48.3 OD Tube size
Finish – Zinc Plated



Category: DROP FORGED COUPLERS

Drop Forged Dual Coupler (Australian) – Swivel

Item Code
374

Features

Used for connection of 2 tubes at any angle
Flange Nut – 1/2 BSW Thread x 23 mm
AF available
Tee Bolts – 1/2 BSW Thread, available in
Mild Steel or Boron Steel
For 48.3 OD Tube size
Finish – Zinc Plated



Category: DROP FORGED COUPLERS

Drop Forged Half Coupler

Item Code
375

Features

Versatile range of half couplers for a variety of
application requiring the clamping of a single tube
Nut Size – 1/2 BSW Thread x 21mm AF
Available Nut sizes – 22 / 23mm AF
Available Flange Nut sizes – 22 / 23mm AF
Tee Bolt – 1/2 BSW Thread, Available in
Mild Steel or Boron Steel
For 48.3 OD Tube size
Finish – Zinc Plated



Category: DROP FORGED COUPLERS

Drop Forged Half Coupler (with Toggle Bolt)

Item Code
376

Features

Versatile range of half couplers for a variety of
application requiring the clamping
of a single tube
Tee Bolts – M14 Thread, Available in
Mild Steel or Boron Steel
Flange Nut Size – M14 thread x 22mm AF
Toggle Size – M14 thread x 65mm
For 48.3 OD Tube size
Finish – Zinc Plated



Category: DROP FORGED COUPLERS

Drop Forged Half Coupler (with Toggle Pin)

Item Code
377

Features

Versatile range of half couplers for a variety of application requiring the clamping of a single tube
 Flange Nut Size – M14 Thread x 22mm AF
 Tee Bolts – M14 Thread, Available in Mild Steel or Boron Steel
 Toggle Pin – 55mm x16mm
 For 48.3 OD Tube size
 Finish – Zinc Plated



Category: DROP FORGED COUPLERS

Drop Forged Beam Clamp – Swivel

Item Code
378

Features

Versatile range of half couplers for a variety of application requiring the clamping of a single tube
 Nut Size – 1/2 BSW Thread x 21mm AF
 Bracket Size – 50mm Tube
 Tee Bolts – 1/2 BSW Thread, Available in Mild Steel or Boron Steel
 For 48.3 OD Tube size
 Finish – Zinc Plated



Category: DROP FORGED COUPLERS

Drop Forged Half Coupler with bolt, EU Model

Item Code
379

Features

Half couplers for a variety of application requiring the clamping of a single tube
 Flange Nut 22 mm
 Tee Bolts – bolt M14 x 85mm
 Finish – Hot Dip Galvanized



Category: DROP FORGED COUPLERS

Drop Forged Putlog Coupler Powder Coating

Item Code
380

Features

Used for connection of putlogs & transoms to ledgers
 Nut Size – 1/2 BSW x 21mm AF
 Half Tee Bolts – 1/2 BSW Thread, available in Mild Steel or Boron Steel
 For 48.3 OD Tube size
 Finish – Powder Painted




Category: DROP FORGED COUPLERS

Drop Forged RAC Coupler Heavy Duty EN-7-1

Item Code
381

Features

Used for connection of 2 tubes (48.3) at right angles
 Nut Size – 1/2 BSW x 21mm AF
 Flange Nut 22, 23 mm AF available
 Tee Bolts – 1/2 BSW Thread, available in Mild Steel or Boron Steel
 For 48.3 OD Tube size
 Finish – Zinc Plated



Category: DROP FORGED COUPLERS

Drop Forged RAC Coupler Powder Coating

Item Code
382

Features

Used for connection of 2 tubes (48.3) at right angles
 Nut Size – 1/2 BSW x 21mm AF
 Flange Nut 22, 23 mm AF available
 Tee Bolts – 1/2 BSW Thread, available in Mild Steel or Boron Steel
 For 48.3 OD Tube size
 Finish – Powder Painted



Category: DROP FORGED COUPLERS

Drop Forged RAC Coupler, 48x60mm

Item Code
383

Features

Used for connection of 2 tubes at right angles
 Nut Size – 1/2 BSW x 21mm AF
 Flange Nut 22, 23 mm AF available
 Tee Bolts – 1/2 BSW Thread, available in Mild Steel or Boron Steel
 Finish – Electro Zinc Plated



Category: DROP FORGED COUPLERS

Drop Forged RAC Coupler, 60x60mm

Item Code
384

Features

Used for connection of 2 tubes at right angles
 Flange Nut 22 mm
 Tee Bolts – bolt M14 x 85mm
 Finish – Hot Dip Galvanized



Category: DROP FORGED COUPLERS

Drop Forged Couplers



HYPE EXPORTS PVT LTD

Drop Forged RAC Coupler, EU Model

**Item Code
385**

Features

Used for connection of 2 tubes at right angles
Flange Nut 22 mm
Tee Bolts – bolt M14 x 85mm
Finish – Hot Dip Galvanized



Category: DROP FORGED COUPLERS

Drop Forged Single Coupler (Put Log)

**Item Code
386**

Features

Used for connection of putlogs & transoms to ledgers
Nut Size – 1/2 BSW x 21mm AF
Half Tee Bolts – 1/2 BSW Thread, available
in Mild Steel or Boron Steel
For 48.3 OD Tube size
Finish – Zinc Plated



Category: DROP FORGED COUPLERS

Drop Forged Swivel Coupler

**Item Code
387**

Features

Used for connection of 2 tubes (48.3) at any angle
Nut Size – 1/2 BSW x 21mm AF
Flange Nut 22, 23 mm AF available
Tee Bolts – 1/2 BSW Thread, available
in Mild Steel or Boron Steel
For 48.3 OD Tube size
Finish – Zinc Plated



Category: DROP FORGED COUPLERS

Drop Forged Swivel Coupler Heavy Duty EN-74-1

**Item Code
388**

Features

Used for connection of 2 tubes (48.3) at any angle
Nut Size – 1/2 BSW x 21mm AF
Flange Nut 22, 23 mm AF available
Tee Bolts – 1/2 BSW Thread, available in
Mild Steel or Boron Steel
For 48.3 OD Tube size
Finish – Zinc Plated



Category: DROP FORGED COUPLERS

Drop Forged Swivel Coupler Powder Coating

**Item Code
389**

Features

Used for connection of 2 tubes (48.3) at any angle
Nut Size – 1/2 BSW x 21mm AF
Flange Nut 22, 23 mm AF available
Tee Bolts – 1/2 BSW Thread, available in
Mild Steel or Boron Steel
For 48.3 OD Tube size
Finish – Powder Painted



Category: DROP FORGED COUPLERS

Drop Forged Swivel Coupler, 48x60mm

**Item Code
390**

Features

Used for connection of 2 tubes at any angles
Nut Size – 1/2 BSW x 21mm AF
Flange Nut 22, 23 mm AF available
Tee Bolts – 1/2 BSW Thread, available in
Mild Steel or Boron Steel
Finish – Electro Zinc Plated




Category: DROP FORGED COUPLERS

Drop Forged Swivel Coupler, 60x60mm

**Item Code
391**

Features

Used for connection of 2 tubes at any angles
Flange Nut 22 mm
Tee Bolts – bolt M14 x 85mm
Finish – Hot Dip Galvanized



Category: DROP FORGED COUPLERS

Drop Forged Swivel Coupler, EU Model

**Item Code
392**

Features

Used for connection of 2 tubes at Any angles
Flange Nut 22 mm
Tee Bolts – bolt M14 x 85mm
Finish – Hot Dip Galvanized



Category: DROP FORGED COUPLERS

Pressed Board Retaining Coupler (5 mm)

Item Code
394

Features

Used for quickly & securely locking the boards in correct position
 Nut Size – 1/2 BSW Thread x 21mm AF
 Half Tee Bolts – 1/2 BSW thread,
 Available in Mild Steel or Boron Steel
 For 48.3 OD Tube size
 Finish – Zinc Plated



Category: PRESSED COUPLERS

Pressed Double Coupler – Right Angle (5 mm)

Item Code
395

Features

Used for connection of 2 tubes at right angles
 Nut Size – 1/2 BSW Thread x 21mm AF
 Available Nut sizes – 22 / 23mm AF
 Tee Bolts – 1/2 BSW Thread, Available in
 Mild Steel or Boron Steel
 For 48.3 OD Tube size
 Finish – Zinc Plated



Category: PRESSED COUPLERS

Pressed Double Coupler – Right Angle (5 mm) 48X60 MM

Item Code
396

Features

Used for connection of 2 tubes at right angles
 Nut Size – 1/2 BSW Thread x 21mm AF
 Available Nut sizes – 22 / 23mm AF
 Tee Bolts – 1/2 BSW Thread, Available in
 Mild Steel or Boron Steel
 For 48.3 OD Tube size
 Finish – Zinc Plated



Category: PRESSED COUPLERS

Pressed Double Coupler – Swivel (5 mm)

Item Code
397

Features

Used for connection of 2 tubes at any angle
 Nut Size – 1/2 BSW Thread x 21mm AF
 Available Nut sizes – 22 / 23mm AF
 Tee Bolts – 1/2 BSW Thread, Available in
 Mild Steel or Boron Steel
 For 48.3 OD Tube size
 Finish – Zinc Plated



Category: PRESSED COUPLERS

Pressed Fence Coupler

Item Code
398

Features

Size : 42 mm
 Heavy 2mm Thickness
 Finish – Hot Dip Glavanized /
 Electro Zinc Plated



Category: PRESSED COUPLERS

Pressed Finial Double Clamp

Item Code
399

Features

Nut Size – 1/2 BSW Thread x 20.5mm
 Cap Bolt Size – 1/2 BSW x 90mm,
 Available in Mild Steel
 For 48.3 OD Tube size
 Finish – Zinc Plated



Category: PRESSED COUPLERS

Pressed Finial Swivel Clamp

Item Code
400

Features

Nut Size – 1/2 BSW Thread x 20.5mm
 Cap Bolt Size – 1/2 BSW x 80mm,
 Available in Mild Steel
 For 48.3 OD Tube size
 Finish – Zinc Plated



Category: PRESSED COUPLERS

Pressed Girder Coupler 75mm

Item Code
401

Features

Nut size – 1/2 BSW x 21mm AF
 Hex Bolt – 5/8 x 76mm (Mild Steel)
 Eye Bolt Size – 1/2 BSW Thread,
 Available in Mild Steel or Boron Steel
 Finish – Zinc Plated



Category: PRESSED COUPLERS

Pressed Couplers



HYPE EXPORTS PVT LTD

Pressed Grave Loc Coupler (Girder Clamp)

**Item Code
402**

Features

Nut size – 1/2 BSW x 21mm AF
Hex Bolt – 5/8 x 76mm (Mild Steel)
Eye Bolt Size – 1/2 BSW Thread,
Available in Mild Steel or Boron Steel
For 48.3 OD Tube size
Finish – Zinc Plated



Category: PRESSED COUPLERS

Pressed Half Coupler (5 mm)

**Item Code
403**

Features

Versatile range of half couplers for a variety of applications requiring the clamping of a single tube
Nut Size – 1/2 BSW Thread x 21mm AF
Available Nut sizes – 22 / 23mm AF
Hole Size – 16mm
Tee Bolts – 1/2 BSW Thread, Available in Mild Steel or Boron Steel
For 48.3 OD Tube size
Finish – Zinc Plated



Category: PRESSED COUPLERS

Pressed Parallel / Fence Coupler (2.5 mm)

**Item Code
404**

Features

Used for clamping 2 standard Scaffold tubes in parallel
Nut Size – 1/2 BSW Thread x 21mm AF
Bolt – 1/2 BSW x 80mm
Length, available in Mild Steel
For 48.3 OD Tube size
Finish – Zinc Plated



Category: PRESSED COUPLERS

Pressed Single / Put Log Coupler (5 mm)

**Item Code
405**

Features

Used for connection of putlogs & transoms to ledgers
Nut Size – 1/2 BSW Thread x 21mm AF
Half Tee Bolts – 1/2 BSW thread,
Available in Mild Steel or Boron Steel
For 48.3 OD Tube size
Finish – Zinc Plated




Category: PRESSED COUPLERS

Pressed Sleeve Coupler (4 mm)

**Item Code
406**

Features

Used for external connection of two tubes end-to-end.
Provides a more secure joint
Nut Size – 1/2 BSW Thread x 21mm AF
Tee Bolts – 1/2 BSW thread, Available in Mild Steel or Boron Steel
For 48.3 OD Tube size
Finish – Zinc Plated



Category: PRESSED COUPLERS

Pressed Spring Clamp

**Item Code
407**

Features

For Rod Size – 6 to 10mm
Finish – Zinc Plated



Category: PRESSED COUPLERS

Pressed Stair Thread Clamp

**Item Code
408**

Features

Conform to BS EN 1139 :
Section 2.2.1991
Used in Pairs
Connecting Timber treads to 48.3mm Scaffold Tubes
Adjustable from 28 to 90 Degrees
Finish – Silver or Gold Zinc Plated



Category: PRESSED COUPLERS

Pressed Swivel Coupler – (5 mm) 48X60 MM

**Item Code
409**

Features

Used for connection of 2 tubes at any angles
Nut Size – 1/2 BSW Thread x 21mm AF
Available Nut sizes – 22 / 23mm AF
Tee Bolts – 1/2 BSW Thread, Available in Mild Steel or Boron Steel
For 48.3 OD Tube size
Finish – Zinc Plated



Category: PRESSED COUPLERS



Pressed Toe Board Clamp

Item Code
410

Features

Nut Size – 1/2 BSW x 20.5 mm AF
Bolt – 1/2 BSW Thread, available in Mild Steel
For 48.3 OD Tube size
Finish – Zinc Plated



Category: PRESSED COUPLERS

Pressed Universal Clamp

Item Code
411

Features

Ideal for Formwork Applications
Bolt Size – 130mm Length x Thread 1/2 BSW, Available in Mild Steel
Nut size – 1/2 BSW x 21mm AF
Finish – Zinc Plated
Std. Packing – 50 Pcs/Bag, 1000 Pcs/Pallet



Category: PRESSED COUPLERS

Dropper 0.50 Meter

Item Code
412

Features

With MCI Cup Nut
Tube : 48.3 mm
Size : 500 mm
Welded Half Coupler / U Bracket
Finish : Electro Zinc Plated



Category: SYSTEM & SCAFFOLDINGS

Dropper 1.00 Meter

Item Code
413

Features

With MCI Cup Nut
Tube : 48.3 mm
Size : 1000 mm
Welded Half Coupler
Finish : Electro Zinc Plated



Category: SYSTEM & SCAFFOLDINGS

Hollow Swivel Base Jack

Item Code
414

Features

With MCI Cup Nut
Sizes available
– 600 x 38 x 4 mm – 660 x 38 x 4 mm
– 760 x 38 x 4 mm
Plate Size – 150 x 150 x 6 mm
Finish – Self Finish or Zinc Plated



Category: SYSTEM & SCAFFOLDINGS

Hollow U Base Jack

Item Code
415

Features

With Drop Forged Jack Nut
Sizes available
– 600 x 38 x 4 mm
– 660 x 38 x 4 mm
– 760 x 38 x 4 mm
U Head Size – 120 x 120 x 50 mm
Finish – Zinc Plated



Category: SYSTEM & SCAFFOLDINGS

Hollow Universal Jack

Item Code
416

Features

With Drop Forged Jack Nut
Full Threaded
Sizes available
– 600 x 38 x 4 mm
– 660 x 38 x 4 mm
– 760 x 38 x 4 mm
Finish – Zinc Plated



Category: SYSTEM & SCAFFOLDINGS

Hollow-Base-Jack

Item Code
417

Features

With Drop Forged Jack Nut
Sizes available : – 450 x 38 x 4 mm
– 600 x 38 x 4 mm – 660 x 38 x 4 mm
– 760 x 38 x 4 mm
Plate – 150 x 150 x 5 mm
Finish – Zinc Plated



Category: SYSTEM & SCAFFOLDINGS


Solid Base Jack

Item Code
418

Features

With MCI Cup Nut
 Sizes available
 – 460 x 32 mm
 – 670 x 32 mm
 – 750 x 32 mm
 – 460 x 36 mm
 – 670 x 36 mm
 – 750 x 36 mm
 Plate – 150 x 150 x 6, 120 x 120 x 5 mm
 Finish – Self Finish or Zinc Plated

Category: SYSTEM & SCAFFOLDINGS



Solid Base Jack – Heavy Duty

Item Code
419

Features

With MCI Cup Nut
 Size: 38 X 620MM
 Base Plate : 200 x 200 x 8mm
 Double Step Jack Nut for 48 & 60mm
 Finish – Self Finish or Zinc Plated

Category: SYSTEM & SCAFFOLDINGS



Solid U Head Jack

Item Code
420

Features

With MCI Cup Nut
 Sizes available
 – 460 x 32 mm – 600 x 32 mm
 – 670 x 32 mm – 750 x 32 mm
 – 460 x 36 mm – 670 x 36 mm
 – 750 x 36 mm
 U Size – 100x100x100x5 mm
 (Thickness)
 Finish – Zinc Plated

Category: SYSTEM & SCAFFOLDINGS



Solid U Head Jack Heavy Duty (With Extra Base Plate)

Item Code
421

Features

With MCI Cup Nut
 Size: 38 X 665 MM
 U Size : 250 x 55 x 8mm
 Plate Size: 150 x 150 x 8mm
 Double Step Jack Nut
 for 48 & 60mm
 Finish : Electro Zinc Plated

Category: SYSTEM & SCAFFOLDINGS



Solid Universal Jack

Item Code
422

Features

With MCI Cup Nut
 Sizes available
 – 460 x 32 mm – 670 x 32 mm
 – 750 x 32 mm – 460 x 36 mm
 – 670 x 36 mm – 750 x 36 mm
 Finish – Self Finish or Zinc Plated

Category: SYSTEM & SCAFFOLDINGS



Solid Wide U Head Jack

Item Code
423

Features

Sizes available
 – 460 x 32 mm – 600 x 32 mm
 – 670 x 32 mm – 750 x 32 mm
 – 460 x 36 mm – 670 x 36 mm
 – 750 x 36 mm
 Wide U Size – 185 x
 150 x 75 x 6 mm (Thickness)
 Finish – Zinc Plated

Category: SYSTEM & SCAFFOLDINGS



Turn Buckle Head 34X425 MM

Item Code
424

Features

With MCI Cup Nut
 Mild Steel
 Size : 34X425 MM
 Finish : Electro Zinc Plated

Category: SYSTEM & SCAFFOLDINGS



Turn Buckle Head 40x600 MM

Item Code
425

Features

With MCI Cup Nut
 Size : 40x600 mm
 Finish : Electro Zinc Plated

Category: SYSTEM & SCAFFOLDINGS





HYPE EXPORTS PVT. LTD.

B-30, Jeet Colony, Nechi Mangli, Near Focal Point,
Phase 7, Ludhiana, Punjab, India 141010

Tel. : +91 98728 00467

E-mail : info@hypeexportspvtltd.com

rajesh@hypeexportspvtltd.com